

DRINKING WATER SAMPLES ONLY

CHEMTECH - FORD ANALYTICAL LABORATORY

CHAIN OF CUSTODY

COMPANY: _____
 ADDRESS: _____
 CITY/STATE/ZIP: _____
 PHONE #: _____ FAX: _____
 CONTACT: _____ PROJECT: _____
 EMAIL: _____

BILLING ADDRESS: _____
 BILLING CITY/STATE/ZIP: _____
 PURCHASE ORDER: _____



TURNAROUND TIME REQUIRED: _____
 * Expedited turnaround subject to additional charge

State System Number

Send to State
<input type="checkbox"/> Yes <input type="checkbox"/> No

TESTS REQUESTED															Bacteria				
															Total Coliform + E. coli (Present/Absent)	Total Coliform + E. coli (Enumerated)	HPC (Plate Count)	R = Routine I = Investigative TR = Trigger Source RP = Repeat	REPEAT OR = Original Location UP = Upstream DN = Downstream
																		LAB FAIL Ref #	

Lab Use Only	CLIENT SAMPLE INFORMATION					
	LOCATION	DATE	TIME	FACILITY ID (source code)	POINT CODE (DBP)	Field: Residual Chlorine
	1.					
	2.					
	3.					
	4.					
	5.					
	6.					
	7.					
	8.					
	9.					
	10.					

Sampled by: [print]	Sampled by: [signature]	ON ICE	NOT ON ICE	Temp (C°):
Special Instructions:		Samples received outside the EPA recommended temperature range of 0-6 C° may be rejected.		
Relinquished by: [signature]	Date/Time	Received by: [signature]	Date/Time	
Relinquished by: [signature]	Date/Time	Received by: [signature]	Date/Time	
Relinquished by: [signature]	Date/Time	Received by: [signature]	Date/Time	

CHEMTECH-FORD
 9632 South 500 West
 Sandy, UT 84070

801.262.7299 PHONE
 866.792.0093 FAX
www.ChemtechFord.com

Payment Terms are net 30 days OAC. 1.5% interest charge per month (18% per annum).
 Client agrees to pay collection costs and attorney's fees.